

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#1</b>	Compound fracture, left femur	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse absent</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#1</b>	Compound fracture, left femur	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse absent</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#2</b>	Sudden onset of chest pain with shortness of breath	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#2</b>	Sudden onset of chest pain with shortness of breath	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#3</b>	90% 2 <sup>nd</sup> degree burns	<ul style="list-style-type: none"> <li>•Respirations none</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#3</b>	90% 2 <sup>nd</sup> degree burns	<ul style="list-style-type: none"> <li>•Respirations none</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#4</b>	Facial injury	<ul style="list-style-type: none"> <li>•Respiration over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#4</b>	Facial injury	<ul style="list-style-type: none"> <li>•Respiration over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#5</b>	Unable to move legs	<ul style="list-style-type: none"> <li>•Respiration under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#5</b>	Unable to move legs	<ul style="list-style-type: none"> <li>•Respiration under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#6</b>	No apparent injuries	<ul style="list-style-type: none"> <li>•Respirations normal</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#6</b>	No apparent injuries	<ul style="list-style-type: none"> <li>•Respirations normal</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#7</b>	Sucking chest wound	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#7</b>	Sucking chest wound	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#8</b>	Dislocated right shoulder	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#8</b>	Dislocated right shoulder	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			



**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#9</b>	No visible wounds	<ul style="list-style-type: none"> <li>•Respirations none</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>     			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#9</b>	No visible wounds	<ul style="list-style-type: none"> <li>•Respirations none</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>     			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#10</b>	Scalp wound, estimated blood loss 500 cc	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#10</b>	Scalp wound, estimated blood loss 500 cc	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#11</b>	Massive head injury	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#11</b>	Massive head injury	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#12</b>	Bruising over abdomen, complaining of abdominal pain	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#12</b>	Bruising over abdomen, complaining of abdominal pain	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#13</b>	Impaled, 1 foot piece of shrapnel in right eye	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#13</b>	Impaled, 1 foot piece of shrapnel in right eye	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#14</b>	Female six-months pregnant; broken left, lower leg	<ul style="list-style-type: none"> <li>•Respirations under 30/minutes</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#14</b>	Female six-months pregnant; broken left, lower leg	<ul style="list-style-type: none"> <li>•Respirations under 30/minutes</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#15</b>	Severe difficulty breathing, chest sinks in on inspiration	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#15</b>	Severe difficulty breathing, chest sinks in on inspiration	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#16</b>	Unable to move, no verbal response	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake and staring</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#16</b>	Unable to move, no verbal response	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake and staring</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			



**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#17</b>	Amputated left arm, Bleeding controlled	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#17</b>	Amputated left arm, Bleeding controlled	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#18</b>	Large head wound, brain matter showing	<ul style="list-style-type: none"> <li>•Respirations absent</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#18</b>	Large head wound, brain matter showing	<ul style="list-style-type: none"> <li>•Respirations absent</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#19</b>	Minor abrasions	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#19</b>	Minor abrasions	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#20</b>	Bruise on forehead, blood in ears and nose	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#20</b>	Bruise on forehead, blood in ears and nose	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#21</b>	3 <sup>rd</sup> degree burns over front of both legs	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#21</b>	3 <sup>rd</sup> degree burns over front of both legs	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#22</b>	Compound fracture, left arm	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#22</b>	Compound fracture, left arm	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#23</b>	Impaled stick in right chest	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#23</b>	Impaled stick in right chest	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#24</b>	2 <sup>nd</sup> degree burns on legs	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#24</b>	2 <sup>nd</sup> degree burns on legs	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			



**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#25</b>	Blood in right eye	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#25</b>	Blood in right eye	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill under 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#26</b>	3 month old infant, no visible injury	<ul style="list-style-type: none"> <li>•Respirations absent</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#26</b>	3 month old infant, no visible injury	<ul style="list-style-type: none"> <li>•Respirations absent</li> <li>•Radial pulse absent</li> <li>•Unconscious</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#27</b>	Impaled object, RUQ abdomen; difficulty breathing	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#27</b>	Impaled object, RUQ abdomen; difficulty breathing	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#28</b>	Patient saying same words over and over, "What happen?"	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#28</b>	Patient saying same words over and over, "What happen?"	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>    			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#29</b>	Spurting blood from neck injury	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#29</b>	Spurting blood from neck injury	<ul style="list-style-type: none"> <li>•Respirations over 30/minute</li> <li>•Radial pulse present</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
<b>Rapid Treatment Needed and Reason for Treatment:</b>			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#30</b>	Patient states she is a diabetic; skin moist & clammy; feels shaky	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill over 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

**C.E.R.T.**  
**Simple Triage and Rapid Treatment (S.T.A.R.T.)**  
**Assessment Exercise**

Victim	Type of Injury	Signs & Symptoms	Category
<b>#30</b>	Patient states she is a diabetic; skin moist & clammy; feels shaky	<ul style="list-style-type: none"> <li>•Respirations under 30/minute</li> <li>•Capillary refill over 2 seconds</li> <li>•Awake</li> </ul>	θ Deceased θ Immediate θ Delayed θ Minor
Rapid Treatment Needed and Reason for Treatment:			

